WEST Search History for Application 09900265

Creation Date: 2010012213:19

Interference Searches

Query	DB	Op.	Plur.	Thes.	Date
(identifier same ((cell phone) or wireless or pda) same (http or request))	PGPB, USPT, UPAD	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request))) and ((connection request) or (session control))	PGPB, USPT, UPAD	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request)) and ((connection request) or (session control))) and @ ad < 20000713	PGPB, USPT, UPAD	ADJ	YES		01-22-2010
(("20020109706")!.PN.).PGPB. | (("6807423" | "6397259" | "6343318" | "6301471")!.PN.).USPT.	PGPB, USPT	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request)) and ((connection request) or (session control)))	UPAD	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request)) and ((connection request) or (session control))) and ad < 20000713	UPAD	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request)) and ((connection request) or (session control))) and @ ad < 20000713	UPAD	ADJ	YES		01-22-2010
((identifier same ((cell phone) or wireless or pda) same (http or request)) and ((connection request) or (session control)) and @ ad < 20000713) and @ pd > 20090812	UPAD	ADJ	YES		01-22-2010
(yabuta near2 kazuhiro) or (masaaki near2 ishibashi) or (takashi near2 ishii)	PGPB, USPT, UPAD	ADJ	YES		01-22-2010
((yabuta near2 kazuhiro) or (masaaki near2 ishibashi) or (takashi near2 ishii)) and purchasing	PGPB, USPT, UPAD	ADJ	YES		01-22-2010

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
6236652.pn.	PGPB, USPT	ADJ	YES		01-22-2010
200200229175.pn.	PGPB, USPT	ADJ	YES		01-22-2010
6393289.pn.	PGPB, USPT	ADJ	YES		01-22-2010
1361775	EPAB	ADJ	YES		01-22-2010
20020029175.pn. or 6421781.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (no identifier)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and ((no identifier) or null)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (202)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (110)	PGPB, USPT	ADJ	YES		01-22-2010
20020128906.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) near3 (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010
((connection request) same ((no or default historical) near3 (id or identifier))) not ((connection request) same ((no or default historical) (id or identifier)))	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and cookie	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and id$9	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and html	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same (wireless or cell$6) same id$9	PGPB, USPT	ADJ	YES		01-22-2010

(("7149772")!.PN.).USPT.	USPT	ADJ	YES		01-22-2010
(("7149772")!.PN.).USPT. and session	USPT	ADJ	YES		01-22-2010
((("7149772")!.PN.).USPT. and session) and @pd > 20090401	USPT	ADJ	YES		01-22-2010
6456852.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6928558.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
session control	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same identifier same (cell phone)	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same identifier	PGPB, USPT	ADJ	YES		01-22-2010
(session control same identifier) and @ad<20000713	PGPB, USPT	ADJ	YES		01-22-2010
6519605.pn.	PGPB, USPT	ADJ	YES		01-22-2010
identifier same ((cell phone) or wireless or pda)	PGPB, USPT	ADJ	YES		01-22-2010
identifier same ((cell phone) or wireless or pda)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda)) and @ad<20000713	PGPB, USPT, USOC, EPAB, JPAB,	ADJ	YES		01-22-2010

	DWPI, TDBD				
(identifier same ((cell phone) or wireless or pda) and @ad<20000713) and ((connection request) or (session control))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda) and @ad<20000713 and ((connection request) or (session control))) and @pd > 20060503	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6236652.pn.	PGPB, USPT	ADJ	YES		01-22-2010
483547	EPAB	ADJ	YES		01-22-2010
200200229175.pn.	PGPB, USPT	ADJ	YES		01-22-2010
6393289.pn.	PGPB, USPT	ADJ	YES		01-22-2010
1361775	EPAB	ADJ	YES		01-22-2010
20020029175.pn. or 6421781.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (no identifier)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and ((no identifier) or null)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (202)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (110)	PGPB, USPT	ADJ	YES		01-22-2010
20020128906.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) near3 (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010

((connection request) same ((no or default historical) near3 (id or identifier))) not ((connection request) same ((no or default historical) (id or identifier)))	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and cookie	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and id$9	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and html	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same (wireless or cell$6) same id$9	PGPB, USPT	ADJ	YES		01-22-2010
(("7149772")!.PN.).USPT.	USPT	ADJ	YES		01-22-2010
(("7149772")!.PN.).USPT. and session	USPT	ADJ	YES		01-22-2010
((("7149772")!.PN.).USPT. and session) and @pd > 20090401	USPT	ADJ	YES		01-22-2010
6456852.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6928558.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
session control	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same identifier same (cell phone)	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same identifier	PGPB, USPT	ADJ	YES		01-22-2010
(session control same identifier) and @ad<20000713	PGPB, USPT	ADJ	YES		01-22-2010
6519605.pn.	PGPB, USPT	ADJ	YES		01-22-2010
identifier same ((cell phone) or wireless or pda)		ADJ	YES		01-22-2010

	PGPB, USPT				
identifier same ((cell phone) or wireless or pda)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda)) and @ad<20000713	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda) and @ad<20000713) and ((connection request) or (session control))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda) and @ad<20000713 and ((connection request) or (session control))) and @pd > 20060503	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6704768.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6223291.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
5826195.pn..pn.	PGPB, USPT,	ADJ	YES		01-22-2010

	USOC, EPAB, JPAB, DWPI, TDBD				
6240295.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
778716	EPAB	ADJ	YES		01-22-2010
20020029175.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
20020029175.pn. and identifi$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
20020029175.pn. and (identifi$5 same gateway)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
(6240295.pn.) and (identif or key)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
7382882.pn. and (identif or key)	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
7382882.pn. and ((identif$5 or key) same (http or request))	PGPB, USPT,	ADJ	YES		01-22-2010

	USOC, EPAB, JPAB, DWPI				
((6519605.pn.) or (6704768.pn.) or (6223291.pn.)) and ((identif$5 or key) same (http or request))	PGPB, USPT, USOC, EPAB, JPAB, DWPI	ADJ	YES		01-22-2010
332927	JPAB	ADJ	YES		01-22-2010
2006332927	JPAB	ADJ	YES		01-22-2010
(identifier same ((cell phone) or wireless or pda) same (http or request))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		01-22-2010
6421781.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(6421781.pn.) and (id$9 same (request or http or append$4 or add or adding or session))	PGPB, USPT	ADJ	YES		01-22-2010
(7382882.pn. or 6704768.pn. or 6223291.pn.) and (id$9 same (request or http or append$4 or add or adding or session))	PGPB, USPT	ADJ	YES		01-22-2010
(6421781.pn.) and gateway	PGPB, USPT	ADJ	YES		01-22-2010
20020029175.pn. and gateway	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. and gateway) and @pd > 20090817	PGPB, USPT	ADJ	YES		01-22-2010
20020029175.pn. or 6421781.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (no identifier)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and ((no identifier) or null)	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and (202)	PGPB, USPT	ADJ	YES		01-22-2010

(20020029175.pn. or 6421781.pn.) and (110)	PGPB, USPT	ADJ	YES		01-22-2010
20020128906.pn.	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010
(connection request) same ((no or default historical) near3 (id or identifier))	PGPB, USPT	ADJ	YES		01-22-2010
((connection request) same ((no or default historical) near3 (id or identifier))) not ((connection request) same ((no or default historical) (id or identifier)))	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and cookie	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and id$9	PGPB, USPT	ADJ	YES		01-22-2010
(20020029175.pn. or 6421781.pn.) and html	PGPB, USPT	ADJ	YES		01-22-2010
(session control) same (wireless or cell$6) same id$9	PGPB, USPT	ADJ	YES		01-22-2010
((''7149772'')!.PN.).USPT.	USPT	ADJ	YES		01-22-2010
((''7149772'')!.PN.).USPT. and session	USPT	ADJ	YES		01-22-2010
(((''7149772'')!.PN.).USPT. and session) and @pd > 20090811	USPT	ADJ	YES		01-22-2010
((yabuta near2 kazuhiro) or (masaaki near2 ishibashi) or (takashi near2 ishii)) and purchasing	PGPB, USPT	ADJ	YES		01-22-2010
((yabuta near2 kazuhiro) or (masaaki near2 ishibashi) or (takashi near2 ishii) and purchasing) and (identifier same (session adj control) same connection same (gateway or proxy or server) same (mobile adj phone))	PGPB, USPT	ADJ	YES		01-22-2010
((yabuta near2 kazuhiro) or (masaaki near2 ishibashi) or (takashi near2 ishii) and purchasing and (identifier same (session adj control) same connection same (gateway or proxy or server) same (mobile adj phone))) or ((connection request) same ((no or default historical) near3 (id or identifier))) or (identifier same ((cell phone) or wireless or pda)) or ((connection request) same ((no or default historical) near3 (id or identifier))) or (session control same identifier) or (session control same identifier same (cell phone))	PGPB, USPT	ADJ	YES		01-22-2010

((connection request) same ((no or default historical) near3 (id or identifier))) or (identifier same ((cell phone) or wireless or pda)) or ((connection request) same ((no or default historical) near3 (id or identifier))) or (session control same identifier) or (session control same identifier same (cell phone))	PGPB, USPT	ADJ	YES		01-22-2010
((connection request) same ((no or default historical) near3 (id or identifier))) or (identifier same ((cell phone) or wireless or pda)) or ((connection request) same ((no or default historical) near3 (id or identifier))) or (session control same identifier) or (session control same identifier same (cell phone))	PGPB, USPT	ADJ	YES		01-22-2010
((connection request) same ((no or default historical) near3 (id or identifier))) or (identifier same ((cell phone) or wireless or pda) and @ad<20000713 and ((connection request) or (session control))) or ((connection request) same ((no or default historical) near3 (id or identifier))) or (session control same identifier) or (session control same identifier same (cell phone))	PGPB, USPT	ADJ	YES		01-22-2010
((connection request) same ((no or default historical) near3 (id or identifier)) or identifier same ((cell phone) or wireless or pda) and @ad<20000713 and ((connection request) or (session control)) or (connection request) same ((no or default historical) near3 (id or identifier)) or session control same identifier or session control same identifier same (cell phone)) and @pd > 20090811	PGPB, USPT	ADJ	YES		01-22-2010